



POMPE ATLAS COPCO PAS4 KDS3 "Occasion"

Pompe Atlas Copco PAS4 KDS3A -Version "Insonorisée" Type : A Amorçage a sec. - Aspi & Ref : DN150mm Poids : 1354 kg Carburant : GNR Débit maxi : 250 m³/h Hauteur Maxi : 36 mètres Compteur : 1828 hr



Marque : ATLAS COPCO

Référence : PAS4 KDS3

Prix : 13,500.00€ HT/JR

Critères associés :

ENVIRONNEMENT : ASSAINISSEMENT, CHANTIER BTP

Type de FLUIDE : Eaux claires, Eaux usées, Eaux chargées

INSTALLATION : Surface

ENERGIE : Thermique

PRESSION BAR : 3,5 Bar, 2,5 Bar, 2 Bar, 1,5 Bar, 1,4 Bar, 1,3 Bar, 1,2 Bar, 1,1 Bar, 1 Bar, 0,9 Bar, 0,8 Bar, 0,7 Bar, 0,6 Bar, 0,5 Bar, 0,4 Bar, 0,3 Bar, 0,2 Bar

DEBIT M3/H : 40 m³/h, 50 m³/h, 60 m³/h, 80 m³/h, 100 m³/h, 120 m³/h, 150 m³/h, 180 m³/h, 200 m³/h, 250 m³/h

pompe atlas copco pas4

**BUY NOW****ACHETER MAINTENANT****BUY NOW**


S&P*i* **RENT**
 location - Vente de pompes

Atlas Copco

Technical information



Dimensions	
Width	1100 mm
Length	2250 mm
Height	1550 mm
Max dry weight	1300 kg (2867 lbs)



Dimensions	
Width	950 mm
Length	1750 mm
Height	1520 mm
Max dry weight	880 kg (1940 lbs)



Dimensions	
Width	1410 mm
Length	3120 mm
Height	1880 mm
Max dry weight	1020 kg (2249 lbs)

Specifications

Pump size	100	mm	4"	in
Max flow	250	m ³ /h	1100	USgpm
Max head	36	m	118	ft
Solid handlings	50	mm	2"	in

Surface pumps

Submersible pumps

Terminology

Accessories

PAS 100MF 250

Dry prime pumps




sepi RENT
location - Vente de pompes

Features :

- Hinge kit for pump maintenance.
- High capacity diaphragm pump.
- Mechanical seal oil bath.
- PW 250 controller.
- Stackable.

Performance Curves accor. to UNI 9906



[Lien vers la fiche du produit](#)